(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization

International Bureau





(43) International Publication Date 11 March 2004 (11.03.2004)

(10) International Publication Number WO 2004/020895 A3

(51) International Patent Classification7:

F16L 55/16

(21) International Application Number:

PCT/US2003/024779

(22) International Filing Date: 8 August 2003 (08.08.2003)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data: 60/407,442

30 August 2002 (30.08.2002)

(71) Applicant (for all designated States except US): ENVEN-TURE GLOBAL TECHNOLOGY [US/US]; 16200 A Park Row, Houston, TX 77084 (US).

(72) Inventor; and

(75) Inventor/Applicant (for US only): COOK, Robert, Lance [US/US]; 934 Caswell Court, Katy, TX 77450 (US).

(74) Agent: MATTINGLY, Todd; Haynes and Boone, LLP, Suite 4300, 1000 Louisiana St., Houston, TX 77002-5012 (US).

(81) Designated States (national): AE, AG, Al., AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (GII, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).


[Continued on next page]

(54) Title: METHOD OF MANUFACTURING AN INSULATED PIPELINE

PREEXISTING STRUCTURE 18 10 12b 12c <u>10a</u>

(57) Abstract: A method of manufacturing an insulated pipeline.

WO 2004/020895



Declaration under Rule 4.17:

of inventorship (Rule 4.17(iv)) for US only

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments
- (88) Date of publication of the international search report: 15 April 2004

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US03/24779

			101,0003/24/19		
A. CLASSIFICATION OF SUBJECT MATTER					
IPC(7) : F16L 55/16 US CL : 138/98, 97, 114, 148, 149 ; 29/421.2					
According to International Patent Classification (IPC) or to both national classification and IPC					
B. FIELDS SEARCHED					
	umentation searched (classification system followed by 8/98, 97, 114, 148, 149; 29/421.2, 421.1, 402.09, 890		ols)		
Documentatio	n searched other than minimum documentation to the e	xtent that such docu	ments are included in	the fields searched	
Electronic dat	ta base consulted during the international search (name	of data base and, w	here practicable, sear	ch terms used)	
C. DOC	UMENTS CONSIDERED TO BE RELEVANT				
Category *	Citation of document, with indication, where appropriate, of the relevant passages			Relevant to claim No.	
A	US 5,400,827 A (BARO et al) 28 March 1995 (28.03.1995), see entire document.			1-30	
A	US 5,368,075 A (BARO et al) 29 November 1994 (29.11.1994), see entire document.			1-30	
A	US 3,781,966 A (LIEBERMAN) 01 January 1974 (01.01.1974), see entire document.			1-30	
A	US 4,505,017 A (SCHUKEI) 19 March 1985 (19.03.1985), see entire document.			1-30	
Further	r documents are listed in the continuation of Box C.	See pate	nt family annex.		
	occial categories of cited documents:	"T" later door	T' later document published after the international filing da		
<u> </u>	t defining the general state of the art which is not considered to be	date and r principle	or in conflict with the appli or theory underlying the inv	cation but cited to understand the ention	
of particular relevance "E" earlier application or patent published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)		considere	"X" document of particular relevance; the claimed invention cannot considered novel or cannot be considered to involve an inventive when the document is taken alone		
		"Y" document considere combined			
"O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the		"&" document member of the same patent family			
priority (tate claimed				
Date of the actual completion of the international search		Date of mailing of the international search report 03 MAR 2004			
	r 2003 (04.11.2003) ailing address of the ISA/US	Authorized office		1 1	
3	ail Stop PCT, Atm: ISA/US	Patrick F. Brinson J. Hurley for			
1	mmissioner for Patents	ł		111	
Ale	P.O. Box 1450 Alexandria, Virginia 22313-1450 Telephone No. (703) 308-0861				
Facsimile No. (703)305-3230					

Form PCT/ISA/210 (second sheet) (July 1998)

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization

International Bureau



(43) International Publication Date 11 March 2004 (11.03.2004)

(10) International Publication Number WO 2004/020895 A3

(51) International Patent Classification7:

F16L 55/16

(21) International Application Number:

PCT/US2003/024779

- (22) International Filing Date: 8 August 2003 (08.08.2003)
- (25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data: 60/407,442


30 August 2002 (30.08.2002) US

- (71) Applicant (for all designated States except US): ENVEN-TURE GLOBAL TECHNOLOGY [US/US]; 16200 A Park Row, Houston, TX 77084 (US).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): COOK, Robert, Lance [US/US]; 934 Caswell Court, Katy, TX 77450

- (74) Agent: MATTINGLY, Todd; Haynes and Boone, LLP, Suite 4300, 1000 Louisiana St., Houston, TX 77002-5012
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GO, GW, ML, MR, NE, SN, TD, TG).


[Continued on next page]

(54) Title: METHOD OF MANUFACTURING AN INSULATED PIPELINE



(57) Abstract: A method of manufacturing an insulated pipeline.





Declaration under Rule 4.17:

- of inventorship (Rule 4.17(iv)) for US only

Published:

- with international search report
- with amended claims

(88) Date of publication of the international search report:

15 April 2004

Date of publication of the amended claims:

3 June 2004

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

AMENDED CLAIMS

[received by the International Bureau on 22 April 2004 (22.04.04); New claims 31-51 have been added. (11 pages).]

- 1. A method of manufacturing an insulated pipeline, comprising: positioning a first pipe having a plurality of spaced apart resilient sleeves coupled to the exterior surface of the first pipe within a second pipe; and radially expanding and plastically deforming the first pipe until the resilient sleeves engage the interior surface of the second pipe.
- The method of claim 1, further comprising:
 injecting an insulating material into an annulus defined between the first and second pipes.
- 3. The method of claim 2, wherein injecting the insulating material into the annulus defined between the first and second pipes comprises: injecting the insulating material into the annulus defined between the first and second pipes before radially expanding and plastically deforming the first pipe.
- 4. The method of claim 2, wherein injecting the insulating material into the annulus defined between the first and second pipes comprises: injecting the insulating material into the annulus defined between the first and second pipes after radially expanding and plastically deforming the first pipe.
- 5. The method of claim 1, wherein the first pipe further comprises:
 a plurality of thermal insulating sleeves coupled to the exterior surface of the first pipe and interleaved among the resilient sleeves.
- 6. The method of claim 1, wherein positioning the first pipe having the plurality of spaced apart resilient sleeves coupled to the exterior surface of the first pipe within the second pipe comprises: positioning the second pipe beneath a body of water; and positioning the first pipe having the plurality of spaced apart resilient sleeves coupled to the exterior surface of the first pipe within the second pipe.
- 7. A system for manufacturing an insulated pipeline, comprising: means for positioning a first pipe having a plurality of spaced apart resilient sleeves coupled to the exterior surface of the first pipe within a second pipe; and

means for radially expanding and plastically deforming the first pipe until the resilient sleeves engage the interior surface of the second pipe.

- 8. The system of claim 7, further comprising:
 means for injecting an insulating material into an annulus defined between the first and second pipes.
- 9. The system of claim 8, wherein means for injecting the insulating material into the annulus defined between the first and second pipes comprises:

 means for injecting the insulating material into the annulus defined between the first and second pipes before radially expanding and plastically deforming the first pipe.
- 10. The system of claim 8, wherein means for injecting the insulating material into the annulus defined between the first and second pipes comprises:

 means for injecting the insulating material into the annulus defined between the first and second pipes after radially expanding and plastically deforming the first pipe.
- The system of claim 7, wherein the first pipe further comprises:
 a phurality of thermal insulating sleeves coupled to the exterior surface of the first pipe and interleaved among the resilient sleeves.
- 12. The system of claim 7, wherein means for positioning the first pipe having the plurality of spaced apart resilient sleeves coupled to the exterior surface of the first pipe within the second pipe comprises: means for positioning the second pipe beneath a body of water, and means for positioning the first pipe having the plurality of spaced apart resilient sleeves coupled to the exterior surface of the first pipe within the second pipe.
- 13. A method of manufacturing an insulated pipeline comprising an inner rigid pipe positioned within, coupled to, and thermally insulated from an outer rigid pipe, comprising: manufacturing the insulated pipeline by radially expanding and plastically deforming the inner rigid pipe within the outer rigid pipe.
- 14. The method of claim 13, further comprising:

 positioning the outer rigid pipe at a location at which the insulated pipeline will be used to convey fluidic materials through the interior of the first pipe; and manufacturing the insulated pipeline by radially expanding and plastically deforming the inner rigid pipe within the outer rigid pipe while the inner and outer rigid pipes are both positioned at the location at which

the insulated pipeline will be used to convey fluidic materials through the interior of the first pipe.

- 15. The method of claim 14, wherein the location at which the insulated pipeline will be used to convey fluidic materials through the interior of the first pipe is below a body of water.
- 16. A system for manufacturing an insulated pipeline comprising an inner rigid pipe positioned within, coupled to, and thermally insulated from an outer rigid pipe, comprising: means for manufacturing the insulated pipeline by radially expanding and plastically deforming the inner rigid pipe within the outer rigid pipe.
- 17. The system of claim 16, further comprising:
 means for positioning the outer rigid pipe at a location at which the insulated pipeline will be used to
 convey fluidic materials through the interior of the first pipe; and
 means for manufacturing the insulated pipeline by radially expanding and plastically deforming the inner
 rigid pipe within the outer rigid pipe while the inner and outer rigid pipes are both positioned at the
 location at which the insulated pipeline will be used to convey fluidic materials through the interior of the
 first pipe.
- 18. The system of claim 17, wherein the location at which the insulated pipeline will be used to convey fluidic materials through the interior of the first pipe is below a body of water.
- 19. A thermally insulated pipeline, comprising:
 a plastically deformed first pipe;
 a plurality of spaced apart resilient sleeves coupled to the exterior of the first pipe; and
 a second pipe coupled to the resilient sleeves.
- 20. The insulated pipeline of claim 19, further comprising: thermal insulating material positioned within an annulus defined between the first and second pipes and interleaved among the resilient sleeves.
- 21. The insulated pipeline of claim 20, wherein one or more of the resilient sleeves include one or more longitudinal passages.
- 22. The insulated pipeline of claim 21, wherein at least some of the thermal insulating material is positioned within the longitudinal passages.

inner rigid pipe within an outer rigid pipe.

- 23. A method of operating a hydrocarbon production system for processing hydrocarbons that includes one or more hydrocarbon production sources and one or more hydrocarbon production destinations, comprising: conveying hydrocarbons between the hydrocarbon production sources and the hydrocarbon destinations using one or more insulated pipelines; and manufacturing at least one of the insulated pipelines by radially expanding and plastically deforming an
- 24. The method of claim 23, further comprising:

 positioning the outer rigid pipe at a location at which the at least one insulated pipeline will be used to convey fluidic materials through the interior of the first pipe; and manufacturing the at least one insulated pipeline by radially expanding and plastically deforming the inner rigid pipe within the outer rigid pipe while the inner and outer rigid pipes are both positioned at the location at which the at least one insulated pipeline will be used to convey fluidic materials through the interior of the first pipe.
- 25. The method of claim 24, wherein the location at which the at least one insulated pipeline will be used to convey fluidic materials through the interior of the first pipe is below a body of water.
- 26. A method of manufacturing an insulated wellbore casing within a borehole that traverses a subterranean formation and includes a first wellbore casing coupled to and positioned within the wellbore, comprising:

 positioning a second wellbore casing having a plurality of spaced apart resilient sleeves coupled to the exterior surface of the first pipe within the first wellbore casing; and radially expanding and plastically deforming the second wellbore casing until the resilient sleeves engage the interior surface of the second pipe.
- 27. The method of claim 26, further comprising: injecting an insulating material into an annulus defined between the first and second wellbore casings.
- 28. The method of claim 27, wherein injecting the insulating material into the annulus defined between the first and second wellbore casings comprises: injecting the insulating material into the annulus defined between the first and second wellbore casings before radially expanding and plastically deforming the second wellbore casing.
- 29. The method of claim 27, wherein injecting the insulating material into the annulus defined

the first pipe within a second pipe;

between the first and second wellbore casings comprises:

injecting the insulating material into the annulus defined between the first and second wellbore casings after radially expanding and plastically deforming the second wellbore casing.

- 30. The method of claim 26, wherein the second wellbore casing further comprises: a plurality of thermal insulating sleeves coupled to the exterior surface of the second wellbore casing and interleaved among the resilient sleeves.
- 31. A method of manufacturing an insulated pipeline, comprising:
 positioning a first pipe having a plurality of spaced apart resilient sleeves coupled to the exterior surface of

radially expanding and plastically deforming the first pipe until the resilient sleeves engage the interior surface of the second pipe; and

injecting an insulating material into the annulus defined between the first and second pipes before radially expanding and plastically deforming the first pipe.

32. A method of manufacturing an insulated pipeline, comprising:

positioning a first pipe having a plurality of spaced apart resilient sleeves coupled to the exterior surface of the first pipe within a second pipe;

radially expanding and plastically deforming the first pipe until the resilient sleeves engage the interior surface of the second pipe; and

injecting an insulating material into the annulus defined between the first and second pipes after radially expanding and plastically deforming the first pipe.

33. A method of manufacturing an insulated pipeline, comprising:

positioning a first pipe having a plurality of spaced apart resilient sleeves coupled to the exterior surface of the first pipe within a second pipe;

radially expanding and plastically deforming the first pipe until the resilient sleeves engage the interior surface of the second pipe; and

injecting an insulating material into the annulus defined between the first and second pipes before and after radially expanding and plastically deforming the first pipe.

34. A method of manufacturing an insulated pipeline, comprising:

positioning a first pipe having a plurality of spaced apart resilient sleeves coupled to the exterior surface of the first pipe within a second pipe; and

radially expanding and plastically deforming the first pipe until the resilient sleeves engage the interior

surface of the second pipe; and injecting an insulating material into the annulus defined between the first and second pipes; wherein the first pipe further comprises a plurality of thermal insulating sleeves coupled to the exterior surface of the first pipe and interleaved among the resilient sleeves.

35. A method of manufacturing an insulated pipeline, comprising:

positioning a first pipe beneath a body of water,

positioning a second pipe having the plurality of spaced apart resilient sleeves coupled to the exterior surface of the second pipe within the first pipe;

radially expanding and plastically deforming the second pipe until the resilient sleeves engage the interior surface of the first pipe; and

injecting an insulating material into the annulus defined between the first and second pipes; wherein the second pipe further comprises a plurality of thermal insulating sleeves coupled to the exterior surface of the first pipe and interleaved among the resilient sleeves.

36. A system for manufacturing an insulated pipeline, comprising:

means for positioning a first pipe having a plurality of spaced apart resilient sleeves coupled to the exterior surface of the first pipe within a second pipe;

means for radially expanding and plastically deforming the first pipe until the resilient sleeves engage the interior surface of the second pipe; and

means for injecting an insulating material into the annulus defined between the first and second pipes before radially expanding and plastically deforming the first pipe.

37. A system for manufacturing an insulated pipeline, comprising:

means for positioning a first pipe having a plurality of spaced apart resilient sleeves coupled to the exterior surface of the first pipe within a second pipe;

means for radially expanding and plastically deforming the first pipe until the resilient sleeves engage the interior surface of the second pipe; and

means for injecting an insulating material into the annulus defined between the first and second pipes after radially expanding and plastically deforming the first pipe.

38. A system for manufacturing an insulated pipeline, comprising:

means for positioning a first pipe having a plurality of spaced apart resilient sleeves coupled to the exterior surface of the first pipe within a second pipe;

means for radially expanding and plastically deforming the first pipe until the resilient sleeves engage the interior surface of the second pipe; and

means for injecting an insulating material into the annulus defined between the first and second pipes before and after radially expanding and plastically deforming the first pipe.

- 39. A system for manufacturing an insulated pipeline, comprising:
 means for positioning a first pipe having a plurality of spaced apart resilient sleeves coupled to the exterior
 surface of the first pipe within a second pipe;
 means for radially expanding and plastically deforming the first pipe until the resilient sleeves engage the
 interior surface of the second pipe; and
 means for injecting an insulating material into the annulus defined between the first and second pipes;
 wherein the first pipe further comprises a plurality of thermal insulating sleeves coupled to the exterior
 surface of the first pipe and interleaved among the resilient sleeves.
- 40. A system for manufacturing an insulated pipeline, comprising:
 means for positioning a first pipe beneath a body of water;
 means for positioning a second pipe having the plurality of spaced apart resilient sleeves coupled to the exterior surface of the second pipe within the first pipe;
 means for radially expanding and plastically deforming the second pipe until the resilient sleeves engage the interior surface of the first pipe; and
 means for injecting an insulating material into the annulus defined between the first and second pipes;
 wherein the second pipe further comprises a plurality of thermal insulating sleeves coupled to the exterior surface of the first pipe and interleaved among the resilient sleeves.
- 41. A method of manufacturing an insulated pipeline comprising an inner rigid pipe positioned within, coupled to, and thermally insulated from an outer rigid pipe, comprising:
 manufacturing the insulated pipeline by radially expanding and plastically deforming the inner rigid pipe within the outer rigid pipe;
 positioning the outer rigid pipe at a location at which the insulated pipeline will be used to convey fluidic materials through the interior of the first pipe; and
 manufacturing the insulated pipeline by radially expanding and plastically deforming the inner rigid pipe within the outer rigid pipe while the inner and outer rigid pipes are both positioned at the location at which the insulated pipeline will be used to convey fluidic materials through the interior of the first pipe; wherein the location at which the insulated pipeline will be used to convey fluidic materials through the interior of the first pipe is below a body of water.
- 42. A system for manufacturing an insulated pipeline comprising an inner rigid pipe positioned within, coupled to, and thermally insulated from an outer rigid pipe, comprising:

PCT/US2003/024779

means for manufacturing the insulated pipeline by radially expanding and plastically deforming the inner rigid pipe within the outer rigid pipe;

means for positioning the outer rigid pipe at a location at which the insulated pipeline will be used to convey fluidic materials through the interior of the first pipe; and

means for manufacturing the insulated pipeline by radially expanding and plastically deforming the inner rigid pipe within the outer rigid pipe while the inner and outer rigid pipes are both positioned at the location at which the insulated pipeline will be used to convey fluidic materials through the interior of the first pipe;

wherein the location at which the insulated pipeline will be used to convey fluidic materials through the interior of the first pipe is below a body of water.

- 43. A thermally insulated pipeline, comprising:
- a plastically deformed first pipe;
- a plurality of spaced apart resilient sleeves coupled to the exterior of the first pipe;
- a second pipe coupled to the resilient sleeves; and

thermal insulating material positioned within an annulus defined between the first and second pipes and interleaved among the resilient sleeves;

wherein one or more of the resilient sleeves include one or more longitudinal passages; and wherein at least some of the thermal insulating material is positioned within the longitudinal passages.

44. A method of operating a hydrocarbon production system for processing hydrocarbons that includes one or more hydrocarbon production sources and one or more hydrocarbon production destinations, comprising:

conveying hydrocarbons between the hydrocarbon production sources and the hydrocarbon destinations using one or more insulated pipelines;

manufacturing at least one of the insulated pipelines by radially expanding and plastically deforming an inner rigid pipe within an outer rigid pipe;

positioning the outer rigid pipe at a location at which the at least one insulated pipeline will be used to convey fluidic materials through the interior of the first pipe; and

manufacturing the at least one insulated pipeline by radially expanding and plastically deforming the inner rigid pipe within the outer rigid pipe while the inner and outer rigid pipes are both positioned at the location at which the at least one insulated pipeline will be used to convey fluidio materials through the interior of the first pipe;

wherein the location at which the at least one insulated pipeline will be used to convey fluidic materials through the interior of the first pipe is below a body of water.

45. A method of manufacturing an insulated wellbore casing within a borehole that traverses a subterranean formation and includes a first wellbore casing coupled to and positioned within the wellbore, comprising:

positioning a second wellbore casing having a plurality of spaced apart resilient sleeves coupled to the exterior surface of the first pipe within the first wellbore casing;

radially expanding and plastically deforming the second wellbore casing until the resilient sleeves engage the interior surface of the second pipe; and

injecting the insulating material into the annulus defined between the first and second wellbore casings before radially expanding and plastically deforming the second wellbore casing.

46. A method of manufacturing an insulated wellbore casing within a borehole that traverses a subterranean formation and includes a first wellbore casing coupled to and positioned within the wellbore, comprising:

positioning a second wellbore casing having a plurality of spaced apart resilient sleeves coupled to the exterior surface of the first pipe within the first wellbore casing;

radially expanding and plastically deforming the second wellbore casing until the resilient sleeves engage the interior surface of the second pipe; and

injecting the insulating material into the annulus defined between the first and second wellbore casings after radially expanding and plastically deforming the second wellbore casing.

47. A method of manufacturing an insulated wellbore casing within a borehole that traverses a subterranean formation and includes a first wellbore casing coupled to and positioned within the wellbore, comprising:

positioning a second wellbore casing having a plurality of spaced apart resilient sleeves coupled to the exterior surface of the first pipe within the first wellbore casing;

radially expanding and plastically deforming the second wellbore casing until the resilient sleeves engage the interior surface of the second pipe; and

injecting the insulating material into the annulus defined between the first and second wellbore casings after radially expanding and plastically deforming the second wellbore casing;

wherein the second wellbore casing further comprises a plurality of thermal insulating sleeves coupled to the exterior surface of the second wellbore casing and interleaved among the resilient sleeves.

48. An hydrocarbon production system for processing hydrocarbons that includes one or more hydrocarbon production sources and one or more hydrocarbon production destinations, comprising: means for conveying hydrocarbons between the hydrocarbon production sources and the hydrocarbon destinations using one or more insulated pipelines;

means for manufacturing at least one of the insulated pipelines by radially expanding and plastically deforming an inner rigid pipe within an outer rigid pipe;

means for positioning the outer rigid pipe at a location at which the at least one insulated pipeline will be used to convey fluidic materials through the interior of the first pipe; and

means for manufacturing the at least one insulated pipeline by radially expanding and plastically deforming the inner rigid pipe within the outer rigid pipe while the inner and outer rigid pipes are both positioned at the location at which the at least one insulated pipeline will be used to convey fluidic materials through the interior of the first pipe;

wherein the location at which the at least one insulated pipeline will be used to convey fluidic materials through the interior of the first pipe is below a body of water.

49. A system for manufacturing an insulated wellbore casing within a borehole that traverses a subterranean formation and includes a first wellbore casing coupled to and positioned within the wellbore, comprising:

means for positioning a second wellbore casing having a plurality of spaced apart resilient sleeves coupled to the exterior surface of the first pipe within the first wellbore casing;

means for radially expanding and plastically deforming the second wellbore casing until the resilient sleeves engage the interior surface of the second pipe; and

means for injecting the insulating material into the annulus defined between the first and second wellbore casings before radially expanding and plastically deforming the second wellbore casing.

50. A system for manufacturing an insulated wellbore casing within a borehole that traverses a subterranean formation and includes a first wellbore casing coupled to and positioned within the wellbore, comprising:

means for positioning a second wellbore casing having a plurality of spaced apart resilient sleeves coupled to the exterior surface of the first pipe within the first wellbore casing;

means for radially expanding and plastically deforming the second wellbore casing until the resilient sleeves engage the interior surface of the second pipe; and

means for injecting the insulating material into the annulus defined between the first and second wellbore casings after radially expanding and plastically deforming the second wellbore casing.

51. A system for manufacturing an insulated wellbore casing within a borehole that traverses a subterranean formation and includes a first wellbore casing coupled to and positioned within the wellbore, comprising:

means for positioning a second wellbore casing having a plurality of spaced apart resilient sleeves coupled to the exterior surface of the first pipe within the first wellbore casing;

means for radially expanding and plastically deforming the second wellbore casing until the resilient sleeves engage the interior surface of the second pipe; and means for injecting the insulating material into the annulus defined between the first and second wellbore casings after radially expanding and plastically deforming the second wellbore casing; wherein the second wellbore casing further comprises a plurality of thermal insulating sleeves coupled to the exterior surface of the second wellbore casing and interleaved among the resilient sleeves.

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.